

Nanoleaf Skylight

Product Leaflet



Nanoleaf Skylight is a smart LED flush-mounted ceiling light that features modular color-changing panels. Hard-wire one square panel, then connect additional ones to create endless unique designs, or extend your lighting into hard to reach spaces.

The diffused multi-point lighting mimics the natural sky within your home, illuminating your space in the most natural way with reduced shadowing.

Enjoy bright functional white lighting, 16M+ RGB colors, specially designed sky-themed lighting Scenes and a whole suite of Nanoleaf features including Rhythm Music Visualizer, Magic Scenes, Schedules and more.



Features

Nanoleaf Skylight



Refresh Your Space

Illuminate your space with natural sky-like lighting with reduced shadowing. The bigger the layout, the brighter your Skylight!



Set The Mood

Curate the feeling of your home. Boost productivity with bright functional lighting, or enhance special moments with color



Get Into The Music

Elevate your music-listening experience with sound-reactive Scenes that make your lights dance along to any song.



Dynamic Color-Changing Scenes

Create & customize your own colorful lighting effects with over 16M+ colors to illuminate your room.



Modular & Customizable

Start small or go big with your layout with modular tiles that connect together easily, and brighten hard to reach areas.



Smart Control

Control over Wi-Fi with the Nanoleaf App or smart home ecosystems, or with a manual switch.



Enhance Your Routines

Wake up to a gentle sunrise, and be eased to sleep with specially designed Scenes that mimic the natural sky.



Set Schedules

Automate your lights to turn on/off at specific times and days to make your daily routines a little easier.
















Retail Information

Nanoleaf Skylight



Nanoleaf Skylight Smarter Kit (3 Pack)

- **1x** Main Controller Panels
- **2x** Expansion Panels
- **1x** Quick Start Guide

AUD\$469.99



Nanoleaf Skylight Expansion Pack (Single Pack)

- **1x** Expansion Panels
- **1x** Quick Start Guide

AUD\$139.99



Specifications

Nanoleaf Skylight

General

Warranty	2 Years
Usage	Indoor Only
Luminous Flux Per Meter	1400lm per panel R: 71lm, G: 177lm, B: 40lm
Lifetime	25,000 hours

Dimensions

Panel Size	300*300*55mm
Mounting Plate	120*120mm
AC Lines	700mm
Communication Line	90mm
Weight	Diffuser: 300g Base: 330g Mounting Plate: 120g AC Lines: 20g Communication Line: 2g

Color

Color Channel Configuration	RGBCW
Color Temperature	RGB, 2700-6500K
Max Colors	More than 16 million
Strobe	No video flash
Color Rendering Index (CRI)	80
IP	20

Power

Input Voltage	AC 100-240V, 50/60HZ
Output Voltage	18W @controller, 16W @EXP
Max Power Supply Power	24W
Standby Voltage	2.2W@120V , 2.46W@230V
Operating Temperature Range	0°C~40°C

Control

Communication Protocol	Wi-Fi (2.4 GHz b/g/n) NOTE: 5 GHz networks are not compatible with Nanoleaf products.
Dimmability	Yes, via the Nanoleaf App & Voice Control
Connect	Yes, via a AC lines & a Communication line
Compatibility	Apple HomeKit, Amazon Alexa, Google Assistant, IFTTT, SmartThings, Razer Chroma
The Nanoleaf App	Control via Nanoleaf App (Android & iOS) for mobile/tablet or The Nanoleaf Desktop App (Windows & Mac)



Setup & Resources

Nanoleaf Skylight

